

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(send\$3 transmi\$4) with hash adj key with request and hash adj key with (id identifier unique number)	US-PGPUB; USPAT	OR	ON	2005/10/27 14:19
L2	201	(send\$3 transmi\$4) with hash with request and hash with (id identifier unique number)	US-PGPUB; USPAT	OR	ON	2005/10/27 14:20
L3	33	(send\$3 transmi\$4) with hash with request and hash with (id identifier unique number) and (verif\$4 verification valid\$5) with hash and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 14:23
L4	19	(send\$3 transmi\$4) adj20 hash with request and hash with (url address id identifier unique number) and (verif\$4 verification valid\$5) with hash and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 14:25
L5	7	(send\$3 transmi\$4) adj20 hash adj5 (key value number indicator pointer) with request and hash adj5 (key value number indicator pointer) with (url address id identifier unique number) and (verif\$4 verification valid\$5) with hash and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 14:51
L6	89	(send\$3 transmi\$4 initia\$4 generat\$3) with (hash adj5 (key value number indicator pointer) (digital signature) adj (key id identifier identification)) with request and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 14:53
L7	22	(send\$3 transmi\$4 initia\$4 generat\$3) with (hash adj5 (key value number indicator pointer) (digital signature) adj (key id identifier identification)) with request and (receiv\$4 retriev\$3) with (valid\$5 verif\$4 verification) with (first origin\$2 source) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 14:56
L8	7	(send\$3 transmi\$4 initia\$4 generat\$3) with (hash adj5 (key value number indicator pointer) (digital signature) adj (key id identifier identification)) with request same (web server resource database) and (receiv\$4 retriev\$3) with (valid\$5 verif\$4 verification) with (first origin\$2 source) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 15:13

L9	40	(send\$3 transmi\$4 initia\$4 generat\$3) with ((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj (key id identifier identification)) with request same (web server resource database) and (valid\$5 verif\$4 verification) with (first origin\$2 source resource) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 15:20
L12	3	(send\$3 transmi\$4 initia\$4 generat\$3) with ((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj (key id identifier identification)) with (user client customer subscriber) adj request same (web server resource database) and (valid\$5 verif\$4 verification) with (first origin\$2 source resource) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 15:56
L14	216	((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj (key id identifier identification)) with (user client customer subscriber local first origin source resource) same request same (valid\$5 verif\$4 verification) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 15:58
L15	79	((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) with (reply respon\$4 return render\$3 request) with (valid\$5 verif\$4 verification) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 16:04
L16	5	((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) with (reply respon\$4 return render\$3) near5 request with (valid\$5 verif\$4 verification) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 16:07

L17	123	((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) with request and (valid\$5 verif\$4 verification) near5 (reply respon\$4 return) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 16:08
L18	15	((encrypted hash) adj5 (key value number indicator pointer) (digital signature) adj3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) with request same (valid\$5 verif\$4 verification) near5 (reply respon\$4 return) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 16:15
L19	37	((encrypted hash) near5 (key value number indicator pointer) (digital signature) near3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) with request with (creat\$3 generat\$3 send\$3 transmi\$4) and (valid\$5 verif\$4 verification) near5 (reply respon\$4 return) with (user client customer subscriber local first) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/27 16:19